


453 Skywalker® II PUR ESD

ESD polyurethane mat with pebble pattern



Ergonomic, Anti-fatigue & Safety Matting - ESD Matting & Accessories 453 Skywalker® II PUR ESD

High quality polyurethane foam anti-fatigue mats are reputed for their ultimate comfort in stationary standing positions.

- All four sides have bevelled edges to minimize tripping hazards
- Pebble surface provides sure footing and allows freedom of movement
- Environmental friendly, produced without use of organic carbon-based blowing agents

Recommended use

- Dry Areas
- Ideal for stationary standing workstations, sit-stand desks, packing stations, office environments, reception areas, wait stations, service counters, cashiers
- Medium duty

Colors:

Black

Sizes:

- 65cm x 135cm
- 65cm x 175cm
- 65cm x 90cm
- 90cm x 125cm
- 90cm x 155cm
- 90cm x 185cm















Ergonomic, Anti-fatigue & Safety Matting - ESD Matting & Accessories $Skywalker^{\circledR}\ II\ PUR\ ESD$

General

Brand	Notrax	
Category	ESD Matting & Accessories	
Product Number	453	
Product Family	Industrial & Commercial Matting	
Product Group	Ergonomic, Anti-fatigue & Safety Matting	
Product Name	Skywalker® II PUR ESD	
Recommended use	Ideal for stationary standing workstations, sit-stand desks, packing stations, office environments, reception areas, wait stations, service counters, cashiers	
Туре	Dry Areas - Medium Duty Polyurethane Mats	
Update trigger	20210310-1301	
Usage Intensity	Medium duty	

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).	
Recycled	False	
Sustainability	Recyclable material	
Warranty	1	

Tests

Abrasion Resistance 1000	150 mg (2.5N)
Elongation	300%
ESD Rg	Rp 10 ⁶ - 10 ⁹
ESD Rp	Rg 10 ⁶ - 10 ⁹
Hardness	25 Shore A
Slip Rating	R11
Surface Flammability	Pass
Tear Strength	1.7 N/mm

Technical Specifications

Application	Industrial Environments	
Edges	Bevelled edges on all sides	
Material	Nitrile rubber blend	
Material Group	Polyurethane	
Process	Injection Moulding	
Temperature Range	- 40 ° C up to + 120 ° C	

Skywalker® II PUR ESD Black

Art. nr.	Dimension (cm)	Weight (kg)	Thickness (mm)
453S0026BL	65cm x 175cm	5.3	14
453S0034BL	90cm x 125cm	5.2	14
453S0023BL	65cm x 90cm	2.7	14
453S0035BL	90cm x 155cm	6.7	14
453S0036BL	90cm x 185cm	7.7	14
453S2454BL	65cm x 135cm	4.2	14